


Braytron

TECHNICAL DATA SHEET

MODEL	BC15-00580
DESCRIPTION	BRY-GRANDE-RND-20W-5IN1-SNS-KIT-IP54-CEILING LIGHT



Braytron LED

IP54

Li-Ion Battery Day/Night Mode Switch

LED SENSOR CEILING FIXTURE

20w - 2000lm
MODEL NO: BC15-00580

Touch Test Button

Watt Switch
CCT Switch
Time Switch
ON-OFF Microwave Sensor Switch

Microwave Sensor

- Detection Distance: 4m-5m
- Time Adjustable: 30sec - 60sec - 120sec
- Sensor Function: DAY MODE / NIGHT MODE

5 CCT SWITCH

2700K-3000K-4000K-5000K-6500K

POWER ADJUSTABLE

10w-15w-20w

Li-Ion Battery


Charging Time: 8h
Working Time: 4h

Ø280

70

ON/OFF Switch Emergency Lamp

Connection Diagram 1



BRAYTRON SRL

MUNICIPIUL BUCUREȘTI, SECTOR 6, BLD. IULIU MANIU, NR.616, CORP B, ET.1,BUCUREȘTI,Sector 6(RO)
 info@braytron.com
 www.braytron.com

General Characteristics

Model No	:	BC15-00580
Main Family	:	Outdoor Lighting
Sub Family	:	Ceiling Light
Type	:	Ceiling Light
Body Color	:	54
Lamp Shape	:	Non-Directional
Dimmable	:	1
Light Source	:	0
Warranty	:	6
Class	:	CLASS II
IP	:	5

Product Characteristics

Wattage	:	20
Color Temperature	:	8
Quse Lumen	:	2000
Color Rendering Index (CRI)	:	4

Electrical Characteristics

Lifetime	:	20000 h
Voltage	:	16
Power Factor	:	>0,5
Material	:	PA+PP
Working Temperature	:	-20°C ~ +40°C
Working Time	:	3 Hours

Battery Informations

Battery	:	Li-Ion Battery
Emergency Mode	:	Non-Maintained
Charging Time	:	8-10 Hours

Dimensions & Weight

Diameter	:	280 mm
P. Height	:	70 mm
Weight	:	780 gr

Sensor Informations

Sensor Type	:	2
Detection Distance	:	≤5 mt
Detection Angle	:	180° Degrees
Installation Height	:	2-3 mt
Time Delay	:	30-60-180 Sec.
Lux	:	5-1000 lux

Package Informations

N.W.	:	6,3 kgs
G.W.	:	8,3 kgs
PCS/CTN	:	8
Length	:	58,5 cm
Width	:	31,5 cm
Height	:	30,5 cm
EAN	:	5949097739934

BRAYTRON SRL

MUNICIPIUL BUCUREȘTI, SECTOR 6, BLD. IULIU MANIU, NR.616, CORP B, ET.1,BUCUREȘTI,Sector 6(RO)
info@braytron.com
www.braytron.com