

# Braytron

## ТЕХНИЧКИ ЛИСТ

МОДЕЛ BT64-02481

ОПИС BRY-SOLAR PL-80W-3IN1-RMT-IP65-SOLAR FLOODLIGHT



REMOTE



SENSOR



SOLAR



Braytron



LED SOLAR  
FLOODLIGHT

MODEL NO: BT64-02481

75w - 3000lm



|  |                                      |
|--|--------------------------------------|
|  | SOLAR                                |
|  | REMOTE CONTROL                       |
|  | SENSOR<br>Detection Distance: 1m-10m |
|  | DIMMABLE                             |



LED

IP65

3 CCT



BRAYTRON SRL

MUNICIPIUL BUCUREȘTI, SECTOR 6, BLD. IULIU MANIU, NR.616, CORP B, ET.1,BUCUREȘTI,Sector 6(RO)

info@braytron.com

www.braytron.com

Pagina 1 din 3

## Opšte karakteristike

|                     |                               |
|---------------------|-------------------------------|
| Model               | : BT64-02481                  |
| Glavna kategorija   | : Solarna rasveta             |
| Podkategorija       | : Solar Floodlight            |
| Tip                 | : Solar Floodlight            |
| Boja kućišta        | : Black                       |
| Dimmabilno          | : Dimmable                    |
| Izvor svetlosti     | : LED                         |
| Garancija           | : 2 years(1 year for battery) |
| Klasa               | : Class III                   |
| IP (Stepen zaštite) | : IP65                        |

## Karakteristike proizvoda

|                                |           |
|--------------------------------|-----------|
| Snaga                          | : 250 w   |
| Temperatura boje               | : 3IN1    |
| Efektivni lumeni               | : 3000 lm |
| Indeks reprodukcije boja (CRI) | : >80     |
| Ugao emitovanja svetlosti      | : 90°     |

## Električne karakteristike

|                    |                      |
|--------------------|----------------------|
| Vek trajanja       | : 20000 h (For LED)  |
| Napon              | : Solar Panel Energy |
| Kapacitet u vatima | : 75 w               |
| Materijal          | : ABS                |
| Radna temperatura  | : -20°C ~ +40°C      |
| Vreme rada         | : 4-12 h             |

## Informacije o bateriji

|                |                         |
|----------------|-------------------------|
| Baterija       | : LiFePO4               |
| Vreme punjenja | : 8 h-9 h at 50.000 lux |

## Dimenzije i težina artikla

|        |           |
|--------|-----------|
| Dužina | : 220 mm  |
| Širina | : 48 mm   |
| Visina | : 310 mm  |
| Težina | : 1430 gr |

## Informacije o senzoru

|                        |                |
|------------------------|----------------|
| Tip senzora            | : Microwave    |
| Udaljenost detekcije   | : 1m-10m       |
| Ugao detekcije         | : 120° Degrees |
| Kašnjenje u vremenu    | : 30sec        |
| Nivo osvetljenja (Lux) | : 15 lux       |

#### Solarni podaci

Solarni panel : 5.5V, 25W

#### Informacije o pakovanju

Neto težina : 7,15 kgs

Bruto težina : 8,15 kgs

Komada u pakovanju (PCS/CTN) : 5

Dužina : 360 mm

Širina : 250 mm

Visina : 300 mm

EAN kod : 5949097739231

BRAYTRON SRL

MUNICIPIUL BUCUREȘTI, SECTOR 6, BLD. IULIU MANIU, NR.616, CORP B, ET.1,BUCUREȘTI,Sector 6(RO)  
info@braytron.com  
www.braytron.com

Pagina 3 din 3