




# Braytron

FISA TEHNICA

MODEL BT66-22031

DESCRIERE BRY-FLOOD-CF-20W-BLC-6500K-SNS-IP54-LED FLOODLIGHT



BRAYTRON SRL

MUNICIPIUL BUCUREȘTI, SECTOR 6, BLD. IULIU MANIU, NR.616, CORP B, ET.1,BUCUREȘTI,Sector 6(RO)  
info@braytron.com  
www.braytron.com

## General Characteristics

|              |   |                  |
|--------------|---|------------------|
| Model No     | : | BT66-22031       |
| Main Family  | : | Outdoor Lighting |
| Sub Family   | : | LED Floodlight   |
| Type         | : | Floodlight       |
| Body Color   | : | Black            |
| Lamp Shape   | : | Non-Directional  |
| Dimmable     | : | Not-Dimmable     |
| Light Source | : | LED              |
| Warranty     | : | 2 Years          |
| Class        | : | CLASS I          |
| IP           | : | IP54             |

## Product Characteristics

|                             |   |       |
|-----------------------------|---|-------|
| Wattage                     | : | 20    |
| Color Temperature           | : | 6500K |
| Quse Lumen                  | : | 1700  |
| Color Rendering Index (CRI) | : | ≥80   |
| Energy Efficiency Level     | : | E     |
| Beam Angle                  | : | 120°  |

## Electrical Characteristics

|                     |   |                  |
|---------------------|---|------------------|
| Lifetime            | : | 20000 h          |
| Voltage             | : | 220-240V 50/60Hz |
| Power Factor        | : | >0,9             |
| Material            | : | Aluminium        |
| Working Temperature | : | -20°C ~ +40°C    |

## Battery Informations

|               |   |       |
|---------------|---|-------|
| View Distance | : | ≤8 mt |
|---------------|---|-------|

## Dimensions & Weight

|           |   |        |
|-----------|---|--------|
| P. Length | : | 115 mm |
| P. Width  | : | 53 mm  |
| P. Height | : | 174 mm |
| Weight    | : | 220 gr |

## Sensor Informations

|                     |   |              |
|---------------------|---|--------------|
| Sensor Type         | : | Motion       |
| Detection Distance  | : | ≤8 mt        |
| Detection Angle     | : | 120° Degrees |
| Detection Speed     | : | 0,6-1,5m/s   |
| Installation Height | : | 2-3 mt       |
| Time Delay          | : | 30sec-5min   |
| Lux                 | : | 10-2000 lux  |

#### Package Informations

|         |   |               |
|---------|---|---------------|
| N.W.    | : | 8,8 kgs       |
| G.W.    | : | 11,3 kgs      |
| PCS/CTN | : | 40            |
| Length  | : | 57 cm         |
| Width   | : | 27 cm         |
| Height  | : | 39,5 cm       |
| EAN     | : | 5949097744242 |

BRAYTRON SRL

MUNICIPIUL BUCUREȘTI, SECTOR 6, BLD. IULIU MANIU, NR.616, CORP B, ET.1,BUCUREȘTI,Sector 6(RO)  
info@braytron.com  
www.braytron.com